



MAJOR SOURCE OPERATING PERMIT

PERMITTEE: AMERICAN FIBERGLASS PRODUCTS, INC.

FACILITY NAME: AMERICAN FIBERGLASS PRODUCTS, INC.

FACILITY/PERMIT NO.: 713-0016

LOCATION: DOUBLE SPRINGS, ALABAMA

In accordance with and subject to the provisions of the Alabama Air Pollution Control Act of 1971, as amended, <u>Ala. Code</u> §§ 22-28-1 to 22-28-23, as amended, the Alabama Environmental Management Act, <u>Ala. Code</u> §§ 22-22A-1 to 22-22A-17, as amended, and rules and regulations adopted there under, and subject further to the conditions set forth in this permit, the Permittee is hereby authorized to construct, install and use the equipment, device or other article described above.

Pursuant to the **Clean Air Act of 1990**, all conditions of this permit are federally enforceable by EPA, the Alabama Department of Environmental Management, and citizens in general. Those provisions which are not required under the **Clean Air Act of 1990** are considered to be state permit provisions and are not federally enforceable by EPA and citizens in general. Those provisions are contained in separate sections of this permit.

Issuance Date: August 31, 2020

Effective Date: August 31, 2020

Expiration Date: August 30, 2025

TABLE OF CONTENTS

GENERAL PERMIT PROVISOS	3
OPERATING PERMIT SUMMARY NO. 1	11
Unit Specific Provisos	12
Section 1Applicability	
Section 2Emission Standards	12
Section 3Compliance and Performance Test Methods and Procedures	12
Section 4Emission Monitoring	12
Section 5Record-keeping and Reporting Requirements	
OPERATING PERMIT SUMMARY NO. 2	15
Unit Specific Provisos	16
Section 1Applicability	16
Section 2Emission Standards	16
Section 3Compliance and Performance Test Methods and Procedures	16
Section 4Emission Monitoring	
Section 5Record-keeping and Reporting Requirements	17

Fede	rally Enforceable Provisos	Regulations
1.	Transfer	
	This permit is not transferable, whether by operation of law or	Rule 335-3-1602(6)
	otherwise, either from one location to another, from one piece of	
	equipment to another, or from one person to another, except as	
	provided in Rule 335-3-1613(1)(a)5.	
2.	Renewals	
-	An application for permit renewal shall be submitted at least six (6)	Rule 335-3-1612(2)
	months, but not more than eighteen (18) months, before the date of	
	expiration of this permit.	
	The source for which this permit is issued shall lose its right to	
	operate upon the expiration of this permit unless a timely and	
	complete renewal application has been submitted within the time	
2	constraints listed in the previous paragraph.	
3.	Severability Clause The provisions of this permit are declared to be severable and if any	Dula 225 2 16 056
	The provisions of this permit are declared to be severable and if any	Rule 335-3-1605(e)
	section, paragraph, subparagraph, subdivision, clause, or phrase of	
	this permit shall be adjudged to be invalid or unconstitutional by	
	any court of competent jurisdiction, the judgment shall not affect,	
	impair, or invalidate the remainder of this permit, but shall be	
	confined in its operation to the section, paragraph, subparagraph,	
	subdivision, clause, or phrase of this permit that shall be directly	
	involved in the controversy in which such judgment shall have been	
	rendered.	
4.	<u>Compliance</u>	
	(a) The permittee shall comply with all conditions of ADEM	Rule 335-3-1605(f)
	Admin. Code 335-3. Noncompliance with this permit will	
	constitute a violation of the Clean Air Act of 1990 and	
	ADEM Admin. Code 335-3 and may result in an	
	enforcement action; including but not limited to, permit	
	termination, revocation and reissuance, or modification; or	
	denial of a permit renewal application by the permittee.	
	(b) The permittee shall not use as a defense in an enforcement	Rule 335-3-1605(g)
	action that maintaining compliance with conditions of this	Traile 333 3-1003(g)
	permit would have required halting or reducing the	
	permit would have required halting or reducing the permitted activity.	
-	1	
5.	Termination for Cause	Data 225 2 16 05(1)
	This permit may be modified, revoked, reopened, and reissued, or	Rule 335-3-1605(h)
	terminated for cause. The filing of a request by the permittee for a	
	permit modification, revocation and reissuance, or termination, or	
	of a notification of planned changes or anticipated noncompliance	
	will not stay any permit condition.	
5.	Property Rights	
	The issuance of this permit does not convey any property rights of	Rule 335-3-1605(i)
	any sort, or any exclusive privilege.	
7.	Submission of Information	

Feder	ally Enforceat		Regul	ations
	The permittee such other rea information the determine who reissuing, or the with this perm	e must submit to the Department, within 30 days or for a sonable time as the Department may set, any nat the Department may request in writing to ether cause exists for modifying, revoking and erminating this permit or to determine compliance nit. Upon receiving a specific request, the permittee hish to the Department copies of records required to be		335-3-1605(j)
	kept by this p	<u> </u>		
8.		centives, Marketable Permits, and Emissions		
	incentives, ma	rision shall be required, under any approved economic arketable permits, emissions trading and other similar processes for changes that are provided for in this	Rule 3	335-3-1605(k)
9.	Certification Any application compliance contain certific completeness information a	on form, report, test data, monitoring data, or ertification submitted pursuant to this permit shall cation by a responsible official of truth, accuracy, and. This certification shall state that, based on and belief formed after reasonable inquiry, the d information in the document are true, accurate and	Rule 3	335-3-1607(a)
10.	Inspection ar	nd Entry		
	Upon requir repres	presentation of credentials and other documents as may ed by law, the permittee shall allow authorized entatives of the Alabama Department of Environmental gement and EPA to conduct the following: (a) Enter upon the permittee's premises where a so located or emissions-related activity is conduct records must be kept pursuant to the conditions permit; (b) Review and/or copy, at reasonable times, any remust be kept pursuant to the conditions of this (c) Inspect, at reasonable times, this facility's equical (including monitoring equipment and air pollute equipment), practices, or operations regulated of pursuant to this permit; Sample or monitor, at reasonable times, substances or parameters for the purpose of assuring compliance with permit or other applicable requirements.	purce is red, or w s of this records t permit; pment tion con or requi	that
11.	Compliance	± ± ±		I
	(a)	The permittee shall continue to comply with the applic requirements with which the company has certified the already in compliance.		Rule 335-3-1607(c)

Federally Enforceable Provisos Regulations The permittee shall comply in a timely manner with (b) applicable requirements that become effective during the term of this permit. **Compliance Certification** 12. A compliance certification shall be submitted annually within 60 Rule 335-3-16-.07(e) days of the anniversary date of issuance of this permit. The compliance certification shall include the following: The identification of each term or condition of this (1) permit that is the basis of the certification; (2) The compliance status; The method(s) used for determining the compliance (3) status of the source, currently and over the reporting period consistent with Rule 335-3-16-.05(c) (Monitoring and Recordkeeping Requirements); **(4)** Whether compliance has been continuous or intermittent: (5) Such other facts as the Department may require to determine the compliance status of the source; The compliance certification shall be submitted to: (b) Alabama Department of Environmental Management Air Division P.O. Box 301463 Montgomery, AL 36130-1463 and to: Air and EPCRA Enforcement Branch **EPA Region IV** 61 Forsyth Street, SW Atlanta, GA 30303 Reopening for Cause 13. Under any of the following circumstances, this permit will be Rule 335-3-16-.13(5) reopened prior to the expiration of the permit: Additional applicable requirements under the Clean Air Act (a) of 1990 become applicable to the permittee with a remaining permit term of three (3) or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which this permit is due to expire.

Additional requirements (including excess emissions requirements) become applicable to an affected source under the acid rain program. Upon approval by the Administrator, excess emissions offset plans shall be

deemed to be incorporated into this permit.

(b)

Feder	ally Er	nforceable Provisos	Regulations
	(c) (d)	The Department or EPA determines that this permit contains a material mistake or that inaccurate statements were made in establishing the emissions standards or other terms or conditions of this permit. The Administrator or the Department determines that this permit must be revised or revoked to assure compliance	
1.4	A 44;	with the applicable requirements.	
14.	This pon the Regul	tional Rules and Regulations permit is issued on the basis of Rules and Regulations existing the date of issuance. In the event additional Rules and lations are adopted, it shall be the permit holder's insibility to comply with such rules.	§22-28-16(d), Code of Alabama 1975, as amended
15.		oment Maintenance or Breakdown	
	(a)	In the case of shutdown of air pollution control equipment (which operates pursuant to any permit issued by the Director) for necessary scheduled maintenance, the intent to shut down such equipment shall be reported to the Director at least twenty-four (24) hours prior to the planned shutdown, unless such shutdown is accompanied by the shutdown of the source which such equipment is intended to control. Such prior notice shall include, but is not limited to the following: (1) Identification of the specific facility to be taken out of service as well as its location and permit number; (2) The expected length of time that the air pollution control equipment will be out of service; (3) The nature and quantity of emissions of air contaminants likely to occur during the shutdown period; (4) Measures such as the use of off-shift labor and equipment that will be taken to minimize the length of the shutdown period; (5) The reasons that it would be impossible or impractical to shut down the source operation during the maintenance period. In the event that there is a breakdown of equipment or upset	Rule 335-3-107(1), (2)
	(0)	of process in such a manner as to cause, or is expected to cause, increased emissions of air contaminants which are above an applicable standard, the person responsible for such equipment shall notify the Director within 24 hours or the next working day and provide a statement giving all pertinent facts, including the estimated duration of the breakdown. The Director shall be notified when the	
16.	Oper	breakdown has been corrected. ation of Capture and Control Devices	

	General Fermit From 1500	
Fede	rally Enforceable Provisos	Regulations
	All air pollution control devices and capture systems for which this	§22-28-16(d), Code of
	permit is issued shall be maintained and operated at all times in a	Alabama 1975, as
	manner so as to minimize the emissions of air contaminants.	amended
	Procedures for ensuring that the above equipment is properly	
	operated and maintained so as to minimize the emission of air	
15	contaminants shall be established.	
17.	Obnoxious Odors This provide is in the standard of the standar	D-1- 225 2 1 00
	This permit is issued with the condition that, should obnoxious	Rule 335-3-108
	odors arising from the plant operations be verified by Air Division inspectors, measures to abate the odorous emissions shall be taken	
	upon a determination by the Alabama Department of	
	Environmental Management that these measures are technically and	
	economically feasible.	
18.	Fugitive Dust	
100	(a) Precautions shall be taken to prevent fugitive dust	Rule 335-3-402
	emanating from plant roads, grounds, stockpiles, screens,	
	dryers, hoppers, ductwork, etc.	
	(b) Plant or haul roads and grounds will be maintained in the	
	following manner so that dust will not become airborne. A	
	minimum of one, or a combination, of the following	
	methods shall be utilized to minimize airborne dust from	
	plant or haul roads and grounds:	
	(1) By the application of water any time the surface of	
	the road is sufficiently dry to allow the creation of	
	dust emissions by the act of wind or vehicular	
	traffic; (2) Py reducing the gread of vehicular traffic to a point	
	(2) By reducing the speed of vehicular traffic to a point below that at which dust emissions are created;	
	(3) By paving;	
	(4) By the application of binders to the road surface at	
	any time the road surface is found to allow the	
	creation of dust emissions;	
	Should one, or a combination, of the above methods fail to	
	adequately reduce airborne dust from plant or haul roads and	
	grounds, alternative methods shall be employed, either exclusively	
	or in combination with one or all of the above control techniques,	
	so that dust will not become airborne. Alternative methods shall be	
	approved by the Department prior to utilization.	
19.	Additions and Revisions	
	Any modifications to this source shall comply with the	Rule 335-3-1613 and .14
_	modification procedures in Rules 335-3-1613 or 335-3-1614.	
20.	Recordkeeping Requirements	
	(a) Records of required monitoring information of the source	Rule 335-3-1605(c)2.
	shall include the following:	
	(1) The date, place, and time of all sampling or	

measurements;

Fede	rally E	nforceable Provisos	Regulations
		(2) The date analyses were performed;	
		(3) The company or entity that performed the analyses;	
		(4) The analytical techniques or methods used;	
		(5) The results of all analyses; and	
		(6) The operating conditions that existed at the time of	
		sampling or measurement.	
	(b)	Retention of records of all required monitoring data and	
		support information of the source for a period of at least 5	
		years from the date of the monitoring sample, measurement,	
		report, or application. Support information includes all	
		calibration and maintenance records and all original strip-	
		chart recordings for continuous monitoring instrumentation	
21	D	and copies of all reports required by the permit	
21.		orting Requirements	D. 1 - 225 2 16 05(a)2
	(a)	Reports to the Department of any required monitoring shall be submitted at least every 6 months. All instances of	Rule 335-3-1605(c)3.
		deviations from permit requirements must be clearly	
		identified in said reports. All required reports must be	
		certified by a responsible official consistent with Rule 335-	
		3-1604(9).	
	(b)	Deviations from permit requirements shall be reported	
	(0)	within 48 hours or 2 working day of such deviations,	
		including those attributable to upset conditions as defined in	
		the permit. The report will include the probable cause of	
		said deviations, and any corrective actions or preventive	
		measures that were taken.	
22.	Emis	ssion Testing Requirements	
	Each	point of emission which requires testing will be provided with	Rule 335-3-105(3) and
		pling ports, ladders, platforms, and other safety equipment to	Rule 335-3-104(1)
		tate testing performed in accordance with procedures	
		blished by Part 60 of Title 40 of the Code of Federal	
	_	alations, as the same may be amended or revised.	
		Air Division must be notified in writing at least 10 days in	
		nce of all emission tests to be conducted and submitted as	
		f of compliance with the Department's air pollution control	
		and regulations.	
		void problems concerning testing methods and procedures, the	
		wing shall be included with the notification letter:	Dyla 225 2 1 04
	(1)	The date the test crew is expected to arrive, the date and	Rule 335-3-104
		time anticipated of the start of the first run, how many and which sources are to be tested, and the names of the persons	
		-	
	(2)	and/or testing company that will conduct the tests. A complete description of each sampling train to be used,	
	(2)	including type of media used in determining gas stream	
		components, type of probe lining, type of filter media, and	
		components, type of probe filling, type of filter media, and	I

Feder	ally Enforceable Provisos	Regulations
	probe cleaning method and solvent to be used (if test	
	procedures require probe cleaning).	
	(3) A description of the process(es) to be tested including the	
	feed rate, any operating parameters used to control or	
	influence the operations, and the rated capacity.	
	(4) A sketch or sketches showing sampling point locations and	
	their relative positions to the nearest upstream and	
	downstream gas flow disturbances.	
	A pretest meeting may be held at the request of the source owner or	Rule 335-3-104
	the Air Division. The necessity for such a meeting and the required	
	attendees will be determined on a case-by-case basis.	
	All test reports must be submitted to the Air Division within 30	
	days of the actual completion of the test unless an extension of time	
	is specifically approved by the Air Division.	
23.	Payment of Emission Fees	
	Annual emission fees shall be remitted each year according to the	Rule 335-1-704
	fee schedule in ADEM Admin. Code R. 335-1-704.	
24.	Other Reporting and Testing Requirements	D 1 225 2 1 04(1)
	Submission of other reports regarding monitoring records, fuel	Rule 335-3-104(1)
	analyses, operating rates, and equipment malfunctions may be	
	required as authorized in the Department's air pollution control	
	rules and regulations. The Department may require emission	
25	testing at any time.	
25.	Title VI Requirements (Refrigerants)	225 2 16 05(-)
	Any facility having appliances or refrigeration equipment, including air conditioning equipment, which use Class I or Class II	335-3-1605(a)
	ozone-depleting substances as listed in 40 CFR Part 82, Subpart A,	
	Appendices A and B, shall service, repair, and maintain such	
	equipment according to the work practices, personnel certification	
	requirements, and certified recycling and recovery equipment	
	specified in 40 CFR Part 82, Subpart F.	
	No person shall knowingly vent or otherwise release any Class I or	
	Class II substance into the environment during the repair, servicing,	
	maintenance, or disposal of any device except as provided in 40	
	CFR Part 82, Subpart F.	
	The responsible official shall comply with all reporting and	
	recordkeeping requirements of 40 CFR 82.166. Reports shall be	
	submitted to the US EPA and the Department as required.	
26.	Chemical Accidental Prevention Provisions	
	If a chemical listed in Table 1 of 40 CFR Part 68.130 is present in a	40 CFR Part 68
	process in quantities greater than the threshold quantity listed in	
	Table 1, then:	
	(a) The owner or operator shall comply with the provisions in	
	40 CFR Part 68.	
	(b) The owner or operator shall submit one of the following:	

Fede	rally Enforcea		Regulations
	(1)	A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR Part 68 § 68.10(a) or,	
	(2)	A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan.	
7.	Display of P		
	site where th will be made	shall be kept under file or on display at all times at the e facility for which the permit is issued is located and readily available for inspection by any or all persons juest to see it.	Rule 335-3-1401(1)(d)
8.	Circumvent		
	No person shor any means amount of ai emission of a Division 3 ru	hall cause or permit the installation or use of any device is which, without resulting in reduction in the total in contaminant emitted, conceals or dilutes any air contaminant which would otherwise violate the ales and regulations.	Rule 335-3-110
9.		ssions wise specified in the Unit Specific provisos of this source of particulate emissions shall not discharge more	Rule 335-3-401(1)
0.	than one 6-m minute perio average opac will be deter unless otherv permit.	d. At no time shall any source discharge a 6-minute city of particulate emissions greater than 40%. Opacity mined by 40 CFR Part 60, Appendix A, Method 9, wise specified in the Unit Specific provisos of this	
υ.	(a) Unles this p partic	ss otherwise specified in the Unit Specific provisos of the sermit, no fuel-burning equipment may discharge sulate emissions in excess of the emissions specified in 335-3-403.	Rule 335-3-403
	(b) Unles this p dioxid	as otherwise specified in the Unit Specific provisos of the ermit, no fuel-burning equipment may discharge sulfur de emissions in excess of the emissions specified in 335-3-501.	Rule 335-3-501
1.	Unless other permit, no pr	wise specified in the Unit Specific provisos of this rocess may discharge particulate emissions in excess of	Rule 335-3-404
		s specified in Part 335-3-404.	
32.	Unless other emission lim	Time for Emission Limits wise specified in the permit, the averaging time for the its listed in this permit shall be the nominal time he specific test method.	Rule 335-3-105

Operating Permit Summary No. 1

Emission Unit(s): Fiberglass Coating Line

Designation No(s). in Application: 001

Company: American Fiberglass Products, Inc.

Description: One (1) Shower / Bathtub Fiberglass Coating Line

Permitted Operating Schedule: 8 hr/day x 260 days/yr. = 2,080 hr/yr.

Type and quantity of fuel used:

Primary: None Secondary: None

Pollutants Emitted:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	Facility wide 245 tons in any rolling	SYNTHETIC MINOR PSD
	12 month period	
HAP(s)	354 pounds per ton of resin	NESHAP SUBPART WWWW
	267 pounds per ton of gelcoat	

Unit Specific Provisos

Federally Enforceable Provisos		Regulations
Secti	on 1Applicability	
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404
2.	This source is subject to the applicable requirements of 40CFR Part 63 Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production."	ADEM Admin. Code R. 335-3-1106(101)
Secti	on 2Emission Standards	
1.	Emission of Volatile Organic Compounds (VOCs) from the plant wide operations shall not exceed 245 tons in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-1404(8)
2.	This source is subject to the applicable HAP emission limits in 40CFR Part 63 Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production" as listed in Table 3 to subpart WWWW.	ADEM Admin. Code R. 335-3-1106(101)
3.	Emissions of Hazardous Air Pollutants (HAPs) from this source shall not exceed 354 lb/ton for resin or 267 lb/ton for gelcoat as specified in 40 CFR Part 63.5805 subpart WWWW Reinforced Plastics Composites Production.	ADEM Admin. Code R. 335-3-1106(101)
4.	The owner or operator shall demonstrate compliance with the organic HAP emission limits in Table 3 using one of the methods in 40 CFR 63.5810, (a) through (d).	ADEM Admin. Code R. 335-3-1106(101)
Secti	on 3Compliance and Performance Test Methods and Procedures	
1.	This source is subject to the applicable compliance requirements of 40 CFR Part 63 Subpart WWWW "National Emissions Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production", per 63.5835, and Table 4 Work Practice Standards.	ADEM Admin. Code R. 335-3-1106(101)
2.	The organic HAP content of resins and gelcoats shall be determined in accordance with 40 CFR 63.5797. Organic HAP emissions and compliance with the 100 ton per year organic HAP emission threshold for add-on controls shall be determined in accordance with 63.5799. Applicable Subpart WWWW compliance requirements shall be determined in accordance with 63.5805.	ADEM Admin. Code R. 335-3-1106(101)
Section	on 4Emission Monitoring	

Federa	ally Enforceable P	Provisos	Regulations
1.	each VOC an manufacturing	operator shall maintain the records of total mass of ad organic HAP containing material used in the plant g operations for five years and submit them to the upon request.	ADEM Admin. Code R. 335-3-1106(100)
2.	organic HAP	operator shall maintain records of the total weight and content of each resin and gelcoat material applied nt manufacturing operations for each month.	ADEM Admin. Code R. 335-3-1106(101)
3.	40 CFR Part 6	emissions shall be calculated based on Table 1 from 63 Subpart (WWWW) Reinforced Plastics Composites r other models as approved by the Administrator.	ADEM Admin. Code R. 335-3-1106(101)
Sectio	on 5Recordkee	ping and Reporting Requirements	
1.	at least the last form suitable request. This background d	understandable records of consumption, which record st five years of data, will be maintained in a permanent for inspection and be available immediately upon facility shall provide a copy of records and supporting ocuments upon request that pertain to this air permit. It shall contain the following information:	ADEM Admin. Code R. 335-3-104
	(a)	The type and quantity in pounds of each VOC containing material used during each calendar month.	
	(b)	The percent by weight of VOCs and organic HAPs content of each VOC containing material used each calendar month.	
	(c)	Compliance with VOC and organic HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	
	(d)	Complete inventories of the VOC and organic HAP containing materials (their usage, VOC content and organic HAP content) shall be made at the end of each calendar month. Records shall be retained for 5 years and made available upon request by a representative of this Department.	
	(e)	The amount of VOCs and organic HAPs emitted per calendar month expressed in units of pounds and tons.	

Federa	lly Enforceable P	Regulations	
	(f)	The rolling 12-month total of VOCs and HAPs emitted in units of pounds and tons.	
	(g)	Within the first 30 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.	
2.	submitted each	marizing the information in proviso 5.1 shall be che calendar quarter by the last day of the month e end of the quarter, in a format approved by the hadvance.	ADEM Admin. Code R. 335-3-104
3.	Subpart (WW	subject to the applicable reporting in 40 CFR Part 63 (WW) Reinforced Plastics Composites Production as a 14 to Subpart WWW.	ADEM Admin. CODE R. 335-3-1106(101)

Operating Permit Summary No. 2

Emission Unit(s): Fiberglass Coating Line

Designation No(s). in Application: 002

Company: American Fiberglass Products, Inc.

Description: One (1) Shower / Bathtub Fiberglass Coating Line

Permitted Operating Schedule: 8 hr/day x 260 days/yr. = 2,080 hr/yr.

Type and quantity of fuel used:

Primary: None Secondary: None

Pollutants Emitted:

Pollutant	Regulatory Emission Limit	Applicable Standard
VOCs	Facility wide 245 tons in any rolling	SYNTHETIC MINOR PSD
	12 month period	
HAP(s)	354 pounds per ton of resin	NESHAP SUBPART WWWW
	267 pounds per ton of gelcoat	

Unit Specific Provisos

Feder	ally Enforceable Provisos	Regulations		
Section 1Applicability				
1.	This source is subject to a PSD synthetic minor emission limitation.	ADEM Admin. Code R. 335-3-1404		
2.	This source is subject to the applicable requirements of 40CFR Part 63 Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production."	ADEM Admin. Code R. 335-3-1106(101)		
Section	on 2Emission Standards			
1.	Emission of Volatile Organic Compounds (VOCs) from the plant wide operations shall not exceed 245 tons in any consecutive rolling 12-month period.	ADEM Admin. Code R. 335-3-1404(8)		
2.	This source is subject to the applicable HAP emission limits in 40CFR Part 63 Subpart WWWW, "National Emission Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production" as listed in Table 3 to subpart WWWW.	ADEM Admin. Code R. 335-3-1106(101)		
3.	Emissions of Hazardous Air Pollutants (HAPs) from this source shall not exceed 354 lb/ton for resin or 267 lb/ton for gelcoat as specified in 40 CFR Part 63.5805 subpart WWWW Reinforced Plastics Composites Production.	ADEM Admin. Code R. 335-3-1106(101)		
4.	The owner or operator shall demonstrate compliance with the organic HAP emission limits in Table 3 using one of the methods in 40 CFR 63.5810, (a) through (d).	ADEM Admin. Code R. 335-3-1106(101)		
Section	on 3Compliance and Performance Test Methods and Procedures			
1.	This source is subject to the applicable compliance requirements of 40 CFR Part 63 Subpart WWWW, "National Emissions Standards for Hazardous Air Pollutants for Reinforced Plastic Composites Production", per 63.5835, and Table 4 Work Practice Standards.	ADEM Admin. Code R. 335-3-1106(101)		
2.	The organic HAP content of resins and gelcoats shall be determined in accordance with 40 CFR 63.5797. Organic HAP emissions and compliance with the 100 ton per year organic HAP emission threshold for add-on controls shall be determined in accordance with 63.5799. Applicable Subpart WWWW compliance requirements shall be determined in accordance with 63.5805.	ADEM Admin. Code R. 335-3-1106(101)		
Section	on 4Emission Monitoring			

Feder		rceable Provisos	Regulations
1.	each `manu	owner or operator shall maintain the records of total mass of VOC and organic HAP containing material used in the plant facturing operations for five years and submit them to the nistrator upon request.	ADEM Admin. Code R. 335-3-1601
2.	organ	wner or operator shall maintain records of the total weight and ic HAP content of each material applied during the plant facturing operations for each month.	ADEM Admin. Code R. 335-3-1106(36)
3.	40 CF	ric HAP emissions shall be calculated based on Table 1 from FR Part 63 Subpart (WWWW) Reinforced Plastics Composites action, or other models as approved by the Administrator.	ADEM Admin. Code R. 335-3-1106(101)
Secti	on 5Re	ecordkeeping and Reporting Requirements	
1.	at leas form reque backg	rate and understandable records of consumption, which record st the last five years of data, will be maintained in a permanent suitable for inspection and be available immediately upon st. This facility shall provide a copy of records and supporting ground documents upon request that pertain to this air permit. It records shall contain the following information:	ADEM Admin. Code R. 335-3-104
	(a)	The type and quantity of each VOC containing material used during each calendar month.	
	(b)	The percent by weight of VOCs and organic HAPs content of each VOC containing material used each calendar month.	
	(c)	Compliance with VOC and organic HAP limits shall be based upon monthly material use inventories. Emissions may be adjusted for VOC and HAP content of material removed from the plant as waste or returns if the record keeping and details surrounding the materials are approved in advance.	
	(d)	Complete inventories of the VOC and organic HAP containing materials (their usage, VOC content and organic HAP content) shall be made at the end of each calendar month.	
	(e)	The amount of VOCs and organic HAPs emitted per calendar month from fiberglass operations expressed in units of pounds and tons.	
	(f)	The rolling 12-month total of VOCs and organic HAPs emitted from fiberglass operations expressed in units of pounds and tons.	

Federa	lly Enforceable Provisos	Regulations
	(g) Within the first 30 days of each month, compliance with all provisos in this permit will be determined. These records will be maintained for 5 years. Should this facility, at any time, exceed the limits in this permit, the Air Division must be notified in writing within ten (10) days of the identification of the exceedance.	
2.	A report summarizing the information in proviso 5.1 shall be submitted each calendar quarter by the last day of the month following the end of the quarter, in a format approved by the Department in advance.	ADEM Admin. Code R. 335-3-104
3.	This source is subject to the applicable reporting and Startup in 40 CFR Part 63 Subpart (WWWW) Reinforced Plastics Composites Production as listed in Table 14 to subpart WWWW of Part 63.	ADEM Admin. CODE R. 335-3-1106(101)